Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: PASCUA ARCH L.L.C.	CHAPTER 100.1
Address: 98-209 Kanuku Street, Aiea, Hawaii 96701	Inspection Date: May 7, 2019 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
RULES (CRITERIA) §11-100.1-23 Physical environment. (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety; FINDINGS One (1) large barrel container in yard filled with water but without cover, a potential breeding ground for mosquitoes.	PLAN OF CORRECTION PART 1 DID YOU CORRECT THE DEFICIENCY? USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY	_

RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
§11-100.1-23 Physical environment. (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety; FINDINGS One (1) large barrel container in yard filled with water but without cover, a potential breeding ground for mosquitoes.	PART 2 FUTURE PLAN USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?	

	Licensee's/Administrator's Signature: _
:	Print Name:
	Date: